



## Sitemaster Mailbox Product Guide



# About Us

Sitemaster are dedicated to supplying the best range of products to house builders and contractors across the UK. With over 20 years of experience of supplying Mailboxes and our other specialist ranges:

- Cycle Storage Products
- Ironmongery
- Loft Traps and Access Panels
- Porch Canopies
- Wheeled Refuse Bins
- Signage
- Eco Homes Products

Sitemaster has established itself as a leading supplier of mailboxes and we offer a comprehensive range of products from pigeonhole-style mailboxes to contemporary single units; from warm oak wood units to stylish stainless steel.

If you send us your requirements, we can put forward solutions to meet both specification and budget criteria. Our technical sales team can provide quotations with dimensioned drawings allowing you to see how a bank of mailboxes fits into your project. Where required, site surveys can also be carried out.

## RANGE OPTIONS

- **Wall Application/Free Standing Mailboxes**
- **Cost Saving Units**
- **Anti-Vandal Units**
- **Salto Mailbox**
- **Fire Rated Mailbox**
- **Wooden Mailboxes**
- **One Piece Front Plates**
- **Parcel Box**
- **Surround, Legs and Stands**
- **Accessories**
- **Parcel Delivery Boxes**
- **Key Cabinets**
- **Available Colour Finishes**

## Completed Projects



# Mailbox Console 1



## Finishes

RAL POLYESTER POWDER COAT	<input type="checkbox"/>
SILVER / BRONZE ANODISED	<input type="checkbox"/>
SATIN STAINLESS STEEL	<input type="checkbox"/>

## Additional Options

BLANK DOOR	<input type="checkbox"/>
ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>

When you need to accommodate a large number of units in a small area, the horizontal Console 1 mailbox is the perfect solution.

Also known as 'space saving' mailboxes, the Console 1 is our most popular unit, ideal for large scale, high concentration projects. The Console 1 is designed for internal and external use, for wall application or freestanding installation and conforms to EN13724.

### Console 1S

300mm wide x 110mm high  
x 380mm deep

### Console 1M

300mm wide x 165mm high  
x 380mm deep

### Console 1L


300mm wide x 220mm high  
x 380mm deep

### Console 1XL

300mm wide x 330mm high  
x 380mm deep

### Aperture Size for all

265mm wide x 35mm high



# Mailbox Console 2

## Finishes

RAL POLYESTER POWDER COAT	■
SILVER / BRONZE ANODISED	■
SATIN STAINLESS STEEL	■


## Additional Options

BLANK DOOR	■
ENGRAVED TO FLAP	■
NAMEPLATE	■
ADDITIONAL KEYS	■
LEG SUPPORTS (See Pg 22)	■



Suited to smaller blocks of apartments, the Console 2 is designed not to project to far from the wall or to be obtrusive.

It can be situated externally or internally, for wall application or freestanding installation and conforms to EN13724.



### Console 2

270mm wide x 390mm high  
x 130mm deep

### Aperture Size for all

230mm wide x 35mm high



# Mailbox Console 5

## Finishes

RAL POLYESTER POWDER COAT	■
SILVER / BRONZE ANODISED	■
SATIN STAINLESS STEEL	■


## Additional Options

BLANK DOOR	■
ENGRAVED TO FLAP	■
NAMEPLATE	■
ADDITIONAL KEYS	■
LEG SUPPORTS (See Pg 22)	■



When you need to accommodate a large number of units in a small area, the horizontal Console 5 mailbox is the perfect solution.

Also known as 'space saving' mailboxes, the Console 5 is our most popular unit, ideal for large scale, high concentration projects. The Console 5 is designed for internal and external use, for wall application or freestanding installation and conforms to EN13724.



### Console 5S

260mm wide x 110mm high  
x 380mm deep

### Console 5M

260mm wide x 165mm high  
x 380mm deep

### Console 5L

260mm wide x 220mm high  
x 380mm deep

### Console 5XL

260mm wide x 330mm high  
x 380mm deep

### Aperture Size for all

230mm wide x 30mm high

# Mailbox Console 6



## Finishes

RAL POLYESTER POWDER COAT	<input type="checkbox"/>
SILVER / BRONZE ANODISED	<input type="checkbox"/>
SATIN STAINLESS STEEL	<input type="checkbox"/>

## Additional Options

BLANK DOOR	<input type="checkbox"/>
ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>

Similar to the Console 1 mailbox, the Console 6 horizontal unit lends itself to longer, narrower lobby areas.

A 'space saving' unit, suitable for large scale, high concentration projects. It is designed for internal and external use, for wall application or freestanding installation and conforms to EN13724.

### Console 6S

370mm wide x 110mm high  
x 270mm deep

### Console 6M

370mm wide x 165mm high  
x 270mm deep





### Console 6L

370mm wide x 220mm high  
x 270mm deep

### Console 6XL

370mm wide x 330mm high  
x 270mm deep

**Aperture Size for all** 325mm wide x 35mm high





# Mailbox 1370v

## Finishes

RAL POLYESTER POWDER COAT	<input type="checkbox"/>
SILVER / BRONZE ANODISED	<input type="checkbox"/>
SATIN STAINLESS STEEL	<input type="checkbox"/>

## Additional Options

BLANK DOOR	<input type="checkbox"/>
ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>



Suitable for smaller blocks of apartments, the 1375v mailbox is designed to be installed in narrow lobbies and not project too far away from the wall.

Sited internally and externally, for wall application or freestanding installation and conforms to EN13724.

### 1370v Small

370mm wide x 330mm high  
x 100mm deep

### 1370v Large


370mm wide x 330mm high  
x 160mm deep

### Aperture Size for all

325mm wide x 35mm high



# Mailbox 2270f



## Finishes

RAL POLYESTER POWDER COAT	<input type="checkbox"/>
SILVER ANODISED ALUMINIUM	<input type="checkbox"/>
BRONZE ANODISED ALUMINIUM	<input type="checkbox"/>
GOLD ANODISED ALUMINIUM	<input type="checkbox"/>

## Additional Options

BLANK DOOR	<input type="checkbox"/>
ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>

Similar to the Console 5 mailbox, the 2270f is a space-saving unit designed for high concentration / mixed use projects.


Suitable for internal and external use, for wall application or freestanding installation. It conforms to EN13724. Modular construction means that replacement/spare components are readily available.

### 2270f

270mm wide x 125mm high  
x 335mm deep

### Aperture Size

230mm wide x 30mm high



# Mailbox 2385f and 2385f Curve

## Finishes

RAL POLYESTER POWDER COAT	■
SILVER ANODISED ALUMINIUM	■
BRONZE ANODISED ALUMINIUM	■
GOLD ANODISED ALUMINIUM	■


## Additional Options

BLANK DOOR	■
ENGRAVED TO FLAP	■
NAMEPLATE	■
ADDITIONAL KEYS	■
LEG SUPPORTS (See Pg 22)	■



The 2385f and 2385f Curve mailbox is a space-saving unit designed for large scale high concentration projects.

Suitable for internal or external use, for wall application or freestanding installation and conforms to EN13724. Now in stock, banks can be delivered to site in 10 working days (standard finishes only). Modular construction means that the replacement/spares components are readily available.



**2385f and 2385f Curve**  
385mm wide x 125mm high  
x 265mm deep

**Aperture Size**  
325mm wide x 30mm high

# Mailbox 2300v



## Finishes

RAL POLYESTER POWDER COAT	<input type="checkbox"/>
SILVER ANODISED ALUMINIUM	<input type="checkbox"/>
BRONZE ANODISED ALUMINIUM	<input type="checkbox"/>
GOLD ANODISED ALUMINIUM	<input type="checkbox"/>

## Additional Options

BLANK DOOR	<input type="checkbox"/>
ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>

A direct alternative to the Console 2 mailbox, this aluminium mailbox has a slightly larger capacity and a more robust anti-theft device.


It is also available with a three-point locking system. Suitable for internal or external use, for wall application or freestanding installation and conforms to EN13724. Modular construction means that the replacement/spares components are readily available.

### 2300v

270mm wide x 390mm high  
x 130mm deep

### Aperture Size

237mm wide x 32mm high



# Mailbox 6362v

## Finishes

WHITE ENAMEL	■
SILVER ENAMEL	■
BLACK ENAMEL	■
SATIN STAINLESS STEEL (Lacquered)	■


## Additional Options

NAMEPLATE	■
EXTERNAL USE	■



Ideal for smaller blocks of apartments, the 6362v/6362s mailbox is our most popular unit for external wall mounting.

Similar units on the market have an inherent design fault which requires that they have a surround in order to avoid water ingress. Not the 6362v/6362s. This is by far the most water tight individual unit on the market.



### 6362v

362mm wide x 322mm high  
x 104mm deep

### Aperture Size

330mm wide x 30mm high

# Anti-Vandal Mailbox 1400SX Salto



## Finishes

RAL POLYESTER POWDER COAT

SILVER / BRONZE ANODISED

## Additional Options

ENGRAVED TO FLAP

NAMEPLATE

REMOVE PERSPEX WINDOW

LEG SUPPORTS (See Pg 22)




The 1400SX Salto Mailbox designed for student accommodation projects is fitted with Salto's XS4 Locker Lock which can be coded to the Universities current system and allows students access to both their rooms and post box with just one card.

The use of this mailbox for student accommodation means that the added expense of buying replacement keys is a thing of the past.

### 1400SX

400mm wide x 163mm high  
x 382mm deep

**Aperture Size** 230mm wide x 40mm high





# Fire Rated Mailbox 1325FR

## Finishes

RAL POLYESTER POWDER COAT



## Additional Options

ENGRAVED TO FLAP




LEG SUPPORTS (See Pg 22)



When fire safety is a key factor when specifying products for a fire exit area or postal room which needs to be fire rated look no further

Our new model 1325FR has Intumescent lining to both the flap and door which provides a 60 minute (integrity only) fire rating which satisfies the integrity criteria specified by Warrington Fire in BS 476 Part 2: 1987.



### **1325FR**

300mm wide x 125mm high  
x 380mm deep

### **Aperture Size**

235mm wide x 25mm high

# Mailbox 3250v

## Finishes

WHITE POWDER COAT (Standard)	<input type="checkbox"/>
ANY RAL	<input type="checkbox"/>
SILVER / CHAMPAGNE / GRAPHITE ANODISED (Standard)	<input type="checkbox"/>

## Additional Options

ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>



With an aluminium door and flap, the 3250v mailbox is perfect for smaller blocks of apartments with narrower lobbies/corridors.


Its attractive curved letter flap enhances its design. Suitable for internal use, it can be wall mounted or be freestanding and it conforms to EN13724.

### 3250v

345mm wide x 285mm high  
x 110mm deep

### Aperture Size

325mm wide x 30mm high




# Wall Application /Freestanding Mailbox 3400f

## Finishes

WHITE POWDER COAT (Standard)	<input type="checkbox"/>
ANY RAL	<input type="checkbox"/>
SILVER/CHAMPAGNE/GRANITE ANODISED (Standard)	<input type="checkbox"/>

## Additional Options

BLANK DOOR	<input type="checkbox"/>
ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
INTERCOM GRILLE/BUTTONS	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
REMOVE PERSPEX WINDOW	<input type="checkbox"/>
EXTERNAL USE	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>



A space saving mailbox with aluminium door and letter flap and attractive curved flap design.

The aperture is separate from the body of the box to prevent acts of vandalism/theft. Designed for internal use, it can be wall mounted or be freestanding, and conforms to EN13724.



### 3400fn

250mm wide x 135mm high  
x 360mm deep

### Aperture Size

230mm wide x 30mm high

### 3400fw

345mm wide x 135mm high  
x 255mm deep

### Aperture Size

325mm wide x 30mm high

# Mailbox 3800f



## Finishes

WHITE POWDER COAT (Standard)	<input type="checkbox"/>
SILVER TEXTURED PAINT (Standard)	<input type="checkbox"/>
ANY RAL	<input type="checkbox"/>

## Additional Options

ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
LEG SUPPORTS (See Pg 22)	<input type="checkbox"/>

The 3800f is a horizontal unit with a little more capacity than standard units. Perfect for medium sized blocks of apartments and for offices.


It has an attractive letterflap/door design with a minimalist feel. Suitable for internal use, it can be wall mounted or freestanding, and conforms to EN13724.

### 3800f

380mm wide x 175mm high  
x 293mm deep

### Aperture Size

340mm wide x 30mm high



# Mailbox PL3000f, PL2600f and PL7000c



## Finishes

RAL POLYESTER POWDER COAT	<input type="checkbox"/>
SILVER/BRONZE ANODISED	<input type="checkbox"/>
SATIN STAINLESS STEEL	<input type="checkbox"/>

## Additional Options

BLANK DOOR/FLAP	<input type="checkbox"/>
ENGRAVED TO FLAP	<input type="checkbox"/>
NAMEPLATE	<input type="checkbox"/>
INTERCOM GRILLE/BUTTONS	<input type="checkbox"/>
ADDITIONAL KEYS	<input type="checkbox"/>
REMOVE PERSPEX WINDOW	<input type="checkbox"/>
EXTERNAL USE	<input type="checkbox"/>
24mm (Thermal Bridge) 1 PIECE FRONT PLATE	<input type="checkbox"/>

These front-entry, rear-retrieval units are designed to be incorporated within door entrance panels as well as through cavity walls.

The 1-piece front plate can be manufactured to any size, and is also available as a 24mm thick thermal bridge, which fits within a double glazing profile. Internal doors can be powder coated to any RAL finish, anodised bronze, anodised silver and stainless steel.

### PL3000f (Horizontal)

300mm wide x 110/220/330mm high  
x 380mm deep

#### Aperture Size

265mm wide x 30mm high

### PL2600f (Horizontal)

260mm wide x 110/220/330mm high  
x 380mm deep

#### Aperture Size


230mm wide x 30mm high

### PL7000f (Chuted)

300mm wide x 110mm high  
x 265-440mm deep

#### Aperture Size

265mm wide x 30mm wide x 30mm high






# Parcel Box



Ideal for home deliveries when you're out, or commercial/business use, the Parcel Box, in our opinion, is the most secure mailbox on the market.

The Parcel Box allows for multiple deliveries, unlike others on the market, thanks to its unique cantilevered anti-theft mechanism. Lift the rain lid, and parcels can be partly deposited; close the lid, and the parcel drops safely into the mailbox. With a three point high security lock, your mail and parcels will be safe.



## **Parcel Box**

320mm wide x 490mm high  
x 215mm deep

---

## **Aperture (Front Magazine Slot)**

265mm wide x 32mm high

---

## **Aperture (Parcel Slot)**

276mm wide x 85mm high

---

## **Maximum Parcel Size**

260mm wide x 180mm high  
x 80mm deep

# Surrounds, legs and stands



## ■ eps surround

2mm thick steel / aluminium sheet cladded, to RAL polyester powder coat, anodised aluminium or satin stainless steel finish.

Hides rivet holes and joins of mailboxes.



## ■ prds surround

25mm thick extruded aluminium cladding with radius corners, to RAL ppc or anodised aluminium finish.

Hides rivet holes and joins of mailboxes.

Weatherproof.



## ■ prs surround

25mm thick extruded aluminium profile with radius corners to RAL ppc, and anodised aluminium finish.

Fits flush with the front of mailboxes.

When the bank is recessed into wall, the surround hides the aperture cut in the wall.




## ■ pes surround

25mm x 25mm L profile, to RAL ppc, anodised aluminium or satin stainless steel finish.

Fits flush with the front of mailboxes.

When the bank is recessed into wall, the surround hides the aperture cut in the wall.


# Leg stands



## ■ rfl stand

Tubular pedestal legs/supports, manufactured to 600mm and 900mm standard heights. Other heights available on request.


RAL polyester powder coat or satin stainless steel finish.



## ■ pfel stand

Square section lateral support legs, manufactured to 1600mm standard height. Other heights available on request.

RAL polyester powder coat or satin stainless steel finish.




## ■ prdl stand

25mm extruded aluminium lateral legs.

Integral to PRD surround.

Model 2385f/2385r/2270f/2300v mailboxes only.

RAL polyester powder coat or anodised aluminium finish.



## ■ rrl stand

Tubular lateral legs, with optional top and bottom support bars, manufactured to varying heights according to project requirements.


RAL polyester powder coat or satin stainless steel finish.

## Accessories

To complement our range of mailboxes, the following accessories are also available. For further information contact our sales team using the details below and we will be delighted to assist you.



■ engraving



■ intercom



■ nameplate



■ keys and  
locks



■ extinguishing  
agent

## Locking Options



Standard Master  
Key Cam Lock



Salto XS4 Locker  
Lock



3 Point Locking



2 Point Locking



Digital Code Lock

# Parcel Delivery Boxes



P1



P2

Both our P1 and P2 parcel drop boxes give you the freedom to buy online and not have the hassle of waiting in or missing that important delivery that may come when you're at work, or otherwise engaged.

Each of the boxes will get a unique barcode bespoke to you and your box. This will enable the delivery driver to drop off your goods plus get a scan to confirm delivery.

## P1 - Parcel Box

The delivery driver posts the mail through the front facing parcel flap (parcel drop box) the parcel gently drops through to the secure lower level. The driver then scans the barcode on the inside of the box as proof of delivery. On your arrival home simply open the front of the box with your key to retrieve your parcels. A secure effective home delivery parcel box solution that works. The Drop box is made from galvanised steel and is screwed to a wall or floor. This secure parcel box features an anti-theft flap to prevent fishing and a secure cylinder lock to keep your parcels secure.

## P2 - Parcel Box

The P2 Parcel Box has a large top opening lid and a push locking mechanism on the box. The top opening lid is left closed but unlocked until your parcel is placed in it. The delivery person opens the lid, scans the barcode on the lid, then activates the lock by simply pushing in the thumb push lock on the top of the parcel box. As the unit is bolted to the ground or wall your parcel is now secure & dry. You can then simply unlock your parcel box when you return home.

## Barcode



Each of our "parcel drop boxes" are supplied with its own unique barcode which fits inside the door. Delivery drivers can scan the barcode or record the number to obtain a 'signature' as proof of delivery. This barcode contains your name and address making it completely unique to you, or your property. However if you move and the details need changing you can always purchase an updated barcode from us.

## Parcel Box 1

500mm wide x 500mm high  
x 300mm deep

## Parcel Box 2

500mm wide x 1000mm high  
x 375mm deep



# Key Cabinet

Our new range of key cabinets is a perfect addition when ordering banks of mailboxes as they can house the additional keys for residents, students etc...

Each key cabinet has a removal key index which allows the user to quickly identify and locate a specific key reference. Each key cabinet has a strong cylinder lock with 2 keys as standard which can be distributed to the relevant staff members who must have access to the units, making the unit even more secure.



## **KCD-S100**

380mm wide x 550mm high x 80mm deep



## **KCD-S150**

380mm wide x 550mm high x 140mm deep



## **KCD-S200**

380mm wide x 550mm high x 140mm deep




## **KCD-S300**

380mm wide x 550mm high x 205mm deep



## **KCD-S400**

380mm wide x 730mm high x 140mm deep



## **KCD-S600**

380mm wide x 550mm high x 205mm deep



## **KCD-S1170**

730mm wide x 1300mm high x 250mm deep



# Available Colour Finishes



Satin Stainless Steel  
Aluminium



Bronze Anodised Aluminium



Silver Anodised Aluminium



Gold Anodised



Any RAL colour available as standard



**Sitemaster Supplies Ltd**  
**1 and 2, Quidhampton Business Units, Overton, RG25 3EB**  
**Office 0118 9820070**  
**[info@sitemastersupplies.co.uk](mailto:info@sitemastersupplies.co.uk)**  
**[www.sitemastersupplies.co.uk](http://www.sitemastersupplies.co.uk)**